

IN THE CLAIMS:

Please amend Claim 29 as shown below. The claims, as pending in the subject application, read as follows:

1. to 28. (Canceled)

29. (Currently amended) A printing system which enables a printing device to print data transmitted by a remote computer, said system comprising:

a store controller unit that causes a memory unit to store print data transmitted by said remote computer;

a user interface controller unit that causes a user interface unit of said printing device to perform display for selecting at least one of a plurality of data including the print data which has been stored in said memory unit; and

an operation controller unit that causes said printing device to perform a first printing operation, a second printing operation and a third printing operation,

wherein the first printing operation and the third printing operation are operations for printing scan image data obtained by a scanner unit as a cover sheet,

wherein the second printing operation is an operation for printing the print data stored in the memory unit and selected via said user interface unit,

wherein the first printing operation, the second printing operation and the third printing operation are sequentially performed in order of the first printing operation, the second printing operation and the third printing operation, in response to a single user instruction via said user interface unit of said printing device,

wherein the print data to be printed in the second printing operation is obtained before inputting the single user instruction and first scan image data to be printed in the first printing operation and the second scan image data to be printed in the third printing operation are obtained by using the scanner unit after inputting the single user instruction, and

wherein a sheet subjected to printing by the second printing operation is disposed between the cover sheet subjected to printing by the first printing operation and the cover sheet subjected to printing by the third printing operation.

30. (Previously presented) A printing system according to Claim 29, wherein said store controller unit causes said memory unit to store the print data in a state of raster image data.

31. (Previously presented) A printing system according to Claim 29, wherein said user interface controller unit to display a list screen formed to be able to discriminate document names of the print data.

32. (Previously presented) A printing system according to Claim 29, wherein, the cover sheet of a front cover is subjected to printing by the first printing operation and the cover sheet of a back cover sheet is subjected to printing by the third printing operation.

33. (Previously presented) A printing system according to Claim 29, wherein said operation controller unit further causes said printing device to perform a fourth printing operation to print scan image data obtained by a scanner unit as an overlay original while the second printing operation is being performed.

34. (Previously presented) A printing system according to Claim 29, wherein the cover sheet consisting of a front cover and a front cover reverse is subjected to printing by the first printing operation and the cover sheet consisting of a back cover and a back cover reverse is subjected to printing by the third printing operation.

35. (Currently amended) A printing system according to Claim 29, wherein, in a case where a specific instruction is input via said user interface unit, said operation controller unit causes to delete the print data which is printed by said printing operation from said memory unit after completion of said second printing operation.

36. (Canceled)

37. (Previously presented) A controlling method of a printing system which enables a printing device to print data transmitted by a remote computer, the method comprising:

causing a memory unit to store print data transmitted by said remote computer;

causing a user interface unit of said printing device to perform display for selecting at least one of a plurality of data including the print data which has been stored in said memory unit; and

causing said printing device to perform a first printing operation, a printing second operation and a third printing operation,

wherein the first printing operation and the third printing operation are operations for printing scan image data obtained by a scanner unit as a cover sheet,

wherein the second printing operation is an operation for printing the print data stored in the memory unit and selected via said user interface unit,

wherein the first printing operation, the second printing operation and the third printing operation are sequentially performed in order of the first printing operation, the second printing operation and the third printing operation, in response to a single user instruction inputted said user interface unit of said printing device,

wherein the print data to be printed in the second printing operation is obtained before inputting the single user instruction and first scan image data to be printed in the first printing operation and second scan image data to be printed in the third printing operation are obtained by using the scanner unit after inputting the single user instruction, and

wherein a sheet subjected to printing by the second printing operation is disposed between the cover sheet subjected to printing by the first printing operation and the cover sheet subjected to printing by the third printing operation.

38. (Previously presented) A controlling method according to Claim 37, wherein said controlling method causes said memory unit to store the print in a state of raster image data.

39. (Previously presented) A controlling method according to Claim 37, wherein said controlling method causes said user interface unit to display a list screen formed to be able to discriminate document names of the print data.

40. (Previously presented) A controlling method according to Claim 37, wherein the cover sheet of a front cover is subjected to printing by the first printing operation and the cover sheet of a back cover is subjected to printing by the third printing operation.

41. (Previously presented) A controlling method according to Claim 37, further causing said printing device to perform a fourth printing operation to print scan image data obtained by a scanner unit as an overlay original while the second printing operation is being performed.

42. (Previously presented) A controlling method according to Claim 37, wherein the cover sheet consisting of a front cover and a front cover reverse is subjected to printing by the first printing operation and the cover sheet consisting of a back cover and a back cover reverse is subjected to printing by the third printing operation.

43. (Previously presented) A controlling method according to Claim 37, wherein, in a case where a specific instruction is input via said user interface unit, said controlling method causes to delete the print data which is printed by said second printing operation from said memory unit after completion of said second operation.

44. (Canceled)

45. (Previously presented) A computer-readable storage medium storing a computer-executable program for executing a controlling method of a printing system which enables a printing device to print data transmitted by a remote computer, by a printing device, said method comprising:

causing a memory unit to store print data transmitted by said remote computer;

causing a user interface unit of said printing device to perform display for selecting at least one of a plurality of data including the print data which has been stored in said memory unit; and

causing said printing device to perform a first printing operation, a second printing operation and a third printing operation,

wherein the first printing operation and the third printing operation are operations for printing scan image data obtained by using a scanner unit as a cover sheet,

wherein the second operation is an operation for printing the print data stored in the memory unit and selected via said user interface unit,

wherein the first printing operation, the second printing operation and the third printing operation are sequentially performed in order of the first printing operation, the second printing operation and the third printing operation, in response to a single user instruction inputted via said user interface unit of said printing device,

wherein the print data to be printed in the second printing operation is obtained before inputting the single user instruction and first scan image data to be printed in the first printing operation and second scan image data to be printed in the third printing operation are obtained by using the scanner unit after inputting the single user instruction, and

wherein a sheet subjected to printing by the second printing operation is disposed between the cover sheet subjected to printing by the first printing operation and the cover sheet subjected to printing by the third printing operation.

46. and 47. (Canceled)